

TROUBLESHOOTING XP

Jim McKnight

www.jimopi.net

XP_Troubleshoot.lwp

revised 1-26-2010

SYMPTOM/FIX TIPS (See my "TROUBLESHOOTING PC's" document for ideas not directly related to Windows XP).

NETWORKING TIPS (See my separate "NETWORKING TIPS" document).

ASSISTANCE WITH TROUBLESHOOTING XP ISSUES.

See: www.kellys-korner-xp.com/xp.htm

See: dougknox.com

See my "WEBSITES - USEFUL" sheet at www.jimopi.net

Smartcomputing.com, if you are a subscriber.

ANY PROBLEM: Make sure the PC's Date and Time is set correctly. A wrong date can cause a myriad of problems.

"ACCESS IS DENIED" MESSAGE when trying to open a folder or file.

- XP Home: (Boot into Safe-mode > right-click the folder > Properties > Security tab > click OK on the Security message (if one appears) > Advanced > Owner tab). In the Name list, click the Administrators group & click OK. For details, see: <http://support.microsoft.com/default.aspx?scid=kb;en-us:308421>
- XP Pro: Turn off simple file sharing and then follow the above sequence. For details, see: <http://support.microsoft.com/kb/307874/>
- Try this Registry hack from miketechshow.com. It will add a "Take Ownership" entry to the context menu: <http://www.miketechshow.com/files/TakeOwnership.txt>. Download the text file and rename it: TakeOwnership.reg

BLUE SCREENS (alias; BSOD <Blue Screen of Death>, hangs, freezes, or hard failures)

- Copy down all the data shown on the Blue Screen and google the error code for ideas.
- By default, Windows XP is set to try to automatically restart after a hard system failure. If the Blue Screen disappears before you can read it, be sure to turn off " Automatically restart on System Failure" (Blue Screen). (Control Panel > System > Advanced > "Startup&Recovery Settings" button).
- If you are troubleshooting intermittent Blue Screens or hard failures, freezes, or hangs, have the user record the exact date and time of each error including any available error information. Then go into the Event Viewer and look for errors at those times.
- WARNING: Bad RAM can corrupt hard drive files which then result in strange BSOD's. Boot "MemTest86+" from a floppy or CD and run it (Also available on the UBCD4Win CD).
- TROUBLESHOOTING SYSTEM STOPS (Stops are Blue Screens) during boot, see: <http://aumha.org/a/stop.htm>
- A partial list of BSOD error codes: <http://www.geekstogo.com/forum/Windows-XP-Blue-Screen-Death-STOP-Codes-t43519.html>
- BSOD Survival Guide: http://www.maximumpc.com/article/features/blue_screen_survival_guide?EMC-R3A917316679
- BSOD Memory Dump analysis:
 - ✓ Microsoft Support: <http://support.microsoft.com/kb/315263> and <http://support.microsoft.com/kb/315271/>
 - ✓ "How to analyze a Minidump": <http://elliottback.com/wp/how-to-analyze-windows-xp-bsod-minidump-files/>
 - ✓ Nirsoft "Blue Screen View" Dump analyzer: http://www.nirsoft.net/utills/blue_screen_view.html
 - ✓ NOTE: The most common location for the XP minidump is: C:\Windows\Minidump\
- Try running `chkdsk /f /r` from an XP install CD. If the hard drive is a SATA drive, you will need a newer XP Installation CD (with SP3) which includes SATA drivers or use a Vista Install DVD (Not many of those around).

BOOT FAILURES:

- GENERAL TIPS: Check out this article: <http://www.pcworld.com/article/id,139226-page,1-c.windowstips/article.html>

- Troubleshooting startup problems:
 - ✓ http://searchenterprisedesktop.techtarget.com/generic/0,295582,sid192_gci1154382,00.html
 - ✓ http://articles.techrepublic.com.com/5100-10878_11-6031733.html
 - ✓ <http://www.technibble.com/categories/video-podcasts/>
- BOOT PAUSES, RESETS, & STARTS OVER (No error screen): Press F8 during boot and uncheck the box for: " Automatically restart on System Failure" (that's a Blue Screen). *If windows is running, see: (Control Panel > System > Advanced > Startup&Recovery Settings button).* This option is also on the Safe-Mode boot selection screen (F8, F8, F8.....). If a Blue Screen failure is now visible, see the section on BLUE SCREENS.
- CORRUPTED DRIVERS: A Blue Screen during Boot can be due to a corrupted Hardware driver. Has any new hardware just been installed? Try safe-mode (F8, F8, F8.....). If safe-mode boots OK, the problem is likely a corrupted driver. Try to find out which driver. One technique is to remove driver files a few at a time from the C:\Windows\system32\drivers folder and see if Windows Boots OK. (Save them in a different folder). You could also try to diagnose it using the Boot Log (See next section).
- SCAN & FIX CORRUPTED SYSTEM FILES: Using the Recovery Console of an XP Install CD or using a UBCD4WIN BOOT CD, go to a command prompt and enter: `chkdsk c: /x /f /r` (*Note: When using UBCD4WIN, the main system drive may not be drive "c:". If not, use whatever letter is for the system drive in place of c: in the chkdsk command*). If the hard drive is a SATA drive, you will need a newer XP Installation CD (with SP3) which includes SATA drivers or use a Vista Install CD.
- SHIFT KEY: Holding the shift Key down during boot or logon, can stop many applications from launching.
- MANUAL SYSTEM RESTORE: If the boot fails (usually with a Blue Screen) and the safe-mode SYSTEM RESTORE will not work, try the following:
 - ✓ Boot a UBCD4WIN CD and use the Registry Restore Wizard to put the PC back to a known good state. (*Start > Programs > Registry Tools > Registry Restore Wizard*).
 - ✓ If a UBCD4WIN CD is not available, then restore the System manually using the XP Install CD recovery Console: <http://support.microsoft.com/kb/307545>
 - ✓ To see a tutorial video for the UBCD4WIN Registry Restore Wizard, go to: <http://www.technibble.com/video-podcast-recovering-windows-from-common-errors-that-prevent-it-from-booting/>
- MBR: Boot failures caused by a bugged up MBR. Try one or more of the following:
 - ✓ Go to the XP Recovery console and run FIXBOOT. If you cannot get to the console, use UBCD4WIN CD.
 - ✓ Try downloading and creating an XPQUICK.EXE BOOTDISK: <http://www.roe.com/ken/xpquick.exe>. Boot from the disk and run xpquick.exe. Read about it at: <http://www.bootdisk.com/txtfiles/xpquick.txt>
 - ✓ Boot a UBCD4WIN CD and use the FIXBOOT or FIXMBR Utility. *WARNING: FIXMBR can mess up the partition.*
 - ✓ Try installing the GAG (multiboot utility), then removing it. GAG will restore a good XP MBR. I have done this several times when XP fails to boot after removing a Linux multiboot setup.

BOOT FAILURE DIAGNOSIS USING A BOOT LOG

- If you are able to boot into Safe Mode, use msconfig to create a BOOTLOG on the next regular boot.
- After failure, boot into Safe mode or use a WIN98 BootDisk or DOS Disk. Look at the bootlog file.
- See what the last driver that started was. That driver or hardware device is what is failing.

BOOT SLOW TO START UP or BOOT:

- Make sure Drive C has plenty of "Free Space". (15% Free minimum)
- Hold the Shift key while booting, to get to a semi-safe (diagnostic mode) mode. Run msconfig or Starter. Try removing various programs from Startup. *Note: Programs like Kodak EasyShare, Norton Utilities, and Trend Micro extend the boot time dramatically.*

CHKDSK: TO ERROR CHECK THE HARD-DRIVES: Run this on all your hard-drives if you experience any strange problems. See my XP TIPS sheet for details on how to run chkdsk.

TROUBLESHOOTING XP

CONTEXT MENU (Right-click menus fail or crashes or hangs XP)

- Use the ShellExView Utility to disable Context Menu Items until the problem goes away, then re-enable one by one. <http://www.nirsoft.net/utils/shexview.html>

CPU USAGE METER IS MISSING FROM SYSTEM TRAY: When I start the Task Manager, it operates normally except the green CPU usage icon never shows up in the System tray. Fix/Workaround. 1) Download and Un-Zip the "Process Explorer" Utility from Microsoft into C:\Program Files\ProcessExplorer\. (Note: It does not install itself into XP), 2) Run the "Process Explorer" program from inside its folder, 3) Under Options, select "Replace Task Manager". The Process Explorer Icon should now be in the System Tray. 4) Click Options again and select "Restore Task Manager". The regular Task Manager Icon should now be in the System Tray whenever Task Manager is run. Process Manager can be removed, if desired.

CRASHES or FREEZES - RANDOM:

- Make sure Hard-drive C: has plenty of free-space. When Drive C: gets too full, XP will run slow, boot slow, and crash a lot. XP needs lots of room for temporary files and system housekeeping.

DEFRAG FAILS OR WILL NOT RUN.

- The hard drive must have at least 15% free space for Defrag to run properly. If drive is too full, Defrag and many other XP Utilities will either fail or will not run.

DEVICE MANAGER: Using the Device Manager for Troubleshooting:

- Make sure the Device Manager has no Red or Yellow Question Marks or Triangles.
- To make sure a "Hidden device" is not causing you a problem, try the following:
 - ✓ Within Device Manager, click (*View > Show hidden devices*) or
 - ✓ Per Microsoft KB 315539 enter the following two commands from a Command Prompt Window. The resulting Device Manager screen should now show all hidden and ghosted devices on your system:
 1. set devmgr_show_nonpresent_devices=1
 2. start devmgmt.msc

EVENT VIEWER

- The Event Viewer displays all errors detected by XP (*Control Panel > Administrative Tools > Event viewer*). Look at both System and Application errors. *Be warned that the Event viewer program (mmc.exe) can cause system hangs during and after its use. If you experience system hangs, use as few other applications as possible while using the Event Viewer and do a Restart after each use.*
- If you are troubleshooting intermittent freezes, crashes, or Blue Screens, have the user record the exact date and time of each error. Then go into the Event Viewer and look for errors at those times.
- Alternative Event viewer: MyEventViewer:
http://download.cnet.com/MyEventViewer-3000-2094_4-191032.html?tag=mncol&cdlPid=570277

FILE ASSOCIATION FIXES: <http://dougknox.com/index.html>

HANGS, FREEZES

- See BLUE SCREENS topic.
- See SHUTDOWN ISSUES topic.
- Before asking for assistance, determine if the PC will respond to the Mouse or Keyboard or not.

IDENTIFY UNKNOWN DEVICES (In Device Manager). <http://pcidatabase.com/>

To get the Ven or Dev number to use with this website: Go to Device Manager, right click on the Unknown Device. Click Properties. Go to the "Details" Tab and choose "Hardware ID's" from the dropdown box. Enter these numbers at the website and it will identify what the device is.

INSTALL PROGRAM FAILS

- ERROR 1500: Installing or removing programs fails with error 1500 (which says another installer is running).
 - ✓ You can manually stop all incidences of the "msiexec.exe" process in the Task Manager as a workaround, then try the Install/Remove again.

- ✓ NOTE: If you look in the Event Viewer, it should tell you more info about the problem. For me, in both cases, I found that a program called "Authentium SDK" was hung "partially installed" causing this error. It keeps trying to finish its installation.
- ✓ FIX:
 1. First, install the "Windows Installer Clean Up Utility". (See my *UTILITY PROGRAMS* sheet for a link)
 2. Then, run the utility: Go to (C:\Program Files\Windows Installer Clean Up) & Double-click the file called: "msicuu.exe".
 3. On the list of installed programs find "Authentium SDK" and "PPSDK Distributables" and remove both.

INTERNET EXPLORER PROBLEMS:

- *Resetting IE7 to defaults, fixes many issues with IE, Windows Updates and general internet connectivity.*
 - ✓ Open IE > Tools > Internet Options > Advanced Tab > click Reset.
 - ✓ On the Reset IE Settings window, select Reset > click OK. When done, click close & restart IE7.
- IE8: See my "WINDOWS 7 TROUBLESHOOTING. I do not recommend using IE8 on XP at this time. Stick with IE7. (6-2009).
- Certificate Errors: Make sure the Date and time are correct on your PC.

MY NETWORK PLACES: Does not show all devices on the network.

- Folder Options: Go to (*Control Panel > Folder Options > View tab*) and make sure the box is checked for: " Automatically search for network folders and printers". Open My Network Places > View > Refresh. *NOTE: It is safe to delete any shortcuts that are no longer valid.*
- If still bad after deleting everything from "My Network Places", try deleting all the entries from the "WorkgroupCrawler\Shares" registry key:
HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Explorer\WorkgroupCrawler\Shares
- If still bad, try deleting the "WorkgroupCrawler" registry key itself:
HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Explorer\WorkgroupCrawler

OUTLOOK PROBLEMS: See my GENERAL TIPS Sheet under OUTLOOK.

RECOVERY CONSOLE: Windows Recovery Console:

- Using the Recovery Console: <http://support.microsoft.com/kb/314058/>
- Obtaining the XP Recovery Console from Microsoft: <http://support.microsoft.com/kb/310994>
- Using the Console with Combofix: <http://www.bleepingcomputer.com/combfix/how-to-use-combofix>
- Using the Recovery Console to remove a Windows Update: Browse to the "spuninst" folder for the desired update; (ie: c:\Windows\%\$NtUninstallKB123456\$\spuninst\), then enter: "batch spuninst.txt" (no quotes). Another example is for removing IE8. Browse to c:\windows\IE8\spuninst\ and enter: "batch spuninst.txt" (no quotes).

SFC: SYSTEM FILE CHECKER: This will find missing or corrupt XP critical system files. You may be required to insert your Windows Install CD to continue the program. (*Start > Run > enter: SFC /scannow > OK*). If it does not run, Open a Command Prompt and run it from there. *Note: If it runs successfully, you do not get any messages. It just goes away.*

SHUTDOWN & POWER OFF ISSUES

- Troubleshooting chart, see: <http://www.aumha.org/win5/a/shtdwnxp.php>
- If machine does a restart during shutdown, it may be getting a blue screen and trying to recover. Be sure to turn off " Automatically restart on System Failure" (Blue Screen). (*Control Panel > System > Advanced > Startup&Recovery Settings button.*) (It's also on the SafeMode boot selection screen).
- If a system is almost hung and will barely respond, try going to the Task Manager and doing a Shutdown from there. (*Ctrl-Alt-Del > Shut Down > Turn Off*). Try to NEVER do a forced power off (*by holding the Power On button down for 10-30 seconds*). This can make the system unbootable!

TROUBLESHOOTING XP

- **ERROR-CHECK Drive C:** Try running CHKDSK to make sure there are no errors or corrupted files on the C: Drive. (See CHKDSK above).
- Run the SFC System File checker utility (See SFC above).
- Make sure XP has the USER PROFILE HIVE CLEANUP SERVICE installed & running. You can download the install file from Microsoft or: <http://www.snapfiles.com/get/uphcservice.html>
- Check the Event Viewer to see if any errors occur at the same time as the failing power off sequence.
- **If a machine shuts down and/or reboots on its own:** This can be the result of a rootkit. If you get a shutdown warning, quickly do a (*Start > Run > shutdown -a > click "OK"*). *This will* abort the shutdown and give you time to run "combofix", then MBAM and others. See my Anti-Malware Tools & Tips.

SLOW: SYSTEM RUNS SLOW or ACTS WEIRD.

- The hard drive must have at least 15% free space for XP to run properly. If drive is too full, XP and many XP Utilities will either run slow, fail, or will not run at all.
- Hard drive errors can cause error-recovery to slow down the system and may not show an error message. Look at the Event Viewer and Error-Check the hard drive (See CHKDSK above).
- See the SPEED UP XP document at my site for more ideas; www.jimopi.net

START MENU "ALL PROGRAMS" COLUMNS ARE TOO WIDE and text runs off the screen. See the START MENU CUSTOMIZATIONS XP sheet at www.jimopi.net.

START MENU ICONS WILL NOT SORT: The Icons in the "All Programs" list will not sort if you right-click in a blank area of "All Programs". Try right-clicking different areas until you see "Sort by Name" on the list of actions.

WINDOWS UPDATE PROBLEMS

- **AUTOMATIC UPDATES WILL NOT TURN ON (GREYED OUT).** Try doing a manual Windows Update. This action can restore various permissions. Then go to Automatic Updates and see if it is OK. If not, try DialAFix.
- **W.U. FAILS TO CONNECT:** If the Windows Update screen says "You are not connected to the internet": Exit "Help & Support" and open IE6 or IE7. If the homepage loads OK, then try Windows Update again (XP glitch).
- **W.U. FAILS WITH ERROR: 0x80072EE2:**
 - 1) Keep trying. A busy Microsoft site or a slow internet connection can cause this.
 - 2) Go to IE > Tools > Internet Options > Security Tab > Trusted Sites > "Sites" button. Uncheck "Require server verification (https)...", then add the following entries to the Websites list.
 - <http://update.microsoft.com>
 - <http://windowsupdate.microsoft.com>
 - <http://www.update.microsoft.com>
- **W.U. FAILS WITH VARIOUS ERRORS** (Registry permissions bad, etc)
 - 1) Download and run the DialAFix utility. (See my sheet on UTILITY PROGRAMS for download details)
 - 2) Try downloading & reinstalling the windows update agent:
 - Download from: <http://go.microsoft.com/fwlink/?LinkID=91237> into the (C:\) root directory.
 - Start > Run: `windowsupdateagent30-x86.exe /wuforce`.
 - After that you may want to run DialAFix again.

Blank Page